

**IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the Application.

1. (Currently amended) A position determination system comprising:
  - a wireless computer network transceiver configured to communicate with a network wireless access point, the transceiver receiving data from the access point;
  - a position determining entity to determine ~~[[the]]~~ a position of the mobile communication device based on the data received from the access point; and
  - a display to display non position information data based on the determined position.
2. (Currently amended) The system of claim 1 wherein the wireless computer network transceiver and the display are incorporated into a ~~portable device~~ mobile communication device and the position determining entity is located remote from ~~the portable device~~ mobile communication device.
3. (Original) The system of claim 1 wherein the wireless computer network transceiver is configured for operation in accordance with IEEE 802.11 wireless network standards.
4. (Previously presented) The system of claim 1 wherein the displayed data based on the determined position further comprises position information.
5. (Original) The system of claim 4 wherein the position information is an address.
6. (Original) The system of claim 1 wherein position data related to a position of the wireless access point is stored in a management information base as part of the wireless access point, the displayed data based on the determined position being the position data of the wireless access point.
7. (Currently amended) The system of claim 6 wherein the position data ~~[[is]]~~ comprises at least one of location data ~~[[or]]~~ and an address of the wireless access point.

8. (Original) The system of claim 6 wherein the position data further comprises a predicted range of the wireless access point.
9. (Previously presented) The system of claim 1 wherein position data related to a position of the wireless access point is determined by a remote position determining entity, the displayed data based on position data of the wireless access point as determined by the remote position determining entity.
10. (Canceled).
11. (Previously presented) The system of claim 1 wherein the non position information is information related to a store located proximate the determined position of the mobile communication device.
12. (Original) The system of claim 1 wherein the transceiver communicates a request to the wireless access point for non position information based on the determined position of the mobile communication device.
13. (Currently amended) The system of claim 1 wherein the non position [[non-position]] information comprises a merchant identification associated with the wireless access point.
14. (Currently amended) The system of claim 1 wherein the transceiver communicates a request to the wireless access point for at least one of sales information [[or]] and assistance in a store located proximate the determined position of the mobile communication device.
15. (Original) The system of claim 1, further comprising a global positioning system (GPS) receiver to receive data from a plurality of GPS satellites, the position determining entity using the data received from the GPS satellites to determine the position of the mobile communication device.
16. (Original) The system of claim 15 wherein the position determining entity generates a weighted combination of the data received from the GPS satellites and data from the wireless access point to determine the position of the mobile communication device.

17. (Original) The system of claim 1, further comprising a wireless telephone receiver to receive communication signals from a base transceiver station, the position determining entity using the communication signals from the base transceiver station to determine the position of the mobile communication device.

18. (Original) The system of claim 17 wherein the position determining entity generates a weighted combination of the communication signals from the base transceiver station and data from the wireless access point to determine the position of the mobile communication device.

19. (Original) The system of claim 17 wherein the wireless telephone receiver is configured for code division multiple access (CDMA) operation and the communication signals from a base transceiver station are CDMA pilot signals.

20. (Currently amended) A position determination system comprising:

a global positioning system (GPS) receiver to receive data from a plurality of GPS satellites;

a wireless telephone receiver to receive communication signals from a base transceiver station;

a wireless computer network transceiver configured to communicate with a network wireless access point, the transceiver receiving data from the access point; and

a position determining entity to determine ~~[[the]]~~ a position of ~~[[the]]~~ a mobile communication device based on

the data received from the GPS satellites, ~~if available with an acceptable error range,~~

the communication signals from the base transceiver station, ~~if available with an acceptable error range,~~ and

the data received from the network wireless access point.

21. (Original) The system of claim 20 wherein the position determining entity generates a weighted combination of at least two position data sources comprising data

received from the GPS satellites, the communication signals from the base transceiver station, and the data received from the network wireless access point.

22. (Currently amended) The system of claim 21 wherein the weighted combination of ~~the~~ at least two position data sources is based on predicted accuracy of the position data sources.

23. (Original) The system of claim 20 wherein the wireless computer network transceiver is configured for operation in accordance with IEEE 802.11 wireless network standards.

24. (Currently amended) The system of claim 20 further comprising a display to display non position information data based on the determined position wherein the displayed data based on the determined position is position information.

25. (Currently amended) The system of claim 20 further comprising a display to display non position information data based on the determined position wherein the displayed data based on the determined position is non position information.

26. (Original) The system of claim 20 wherein the transceiver communicates a request to the wireless access point for non position information based on the determined position of the mobile communication device.

27. (Original) The system of claim 20 wherein the wireless telephone receiver is configured for code division multiple access (CDMA) operation and the communication signals from a base transceiver station are CDMA pilot signals.

28. (Currently amended) The system of claim 20 wherein the GPS receiver, the wireless telephone receiver and the wireless computer network transceiver are incorporated into ~~a portable device~~ the mobile communication device and the position determining entity is remote from ~~the portable device~~ the mobile communication device.

29. (Currently amended) A ~~portable position determination system~~ mobile device comprising:

means for communicating with a computer network wireless access point and for receiving data from the access point;

means for determining ~~[[the]]~~ a position of the ~~portable position determination system~~ mobile device based on the data received from the access point; and

means for displaying non position information ~~data~~ based on the determined position.

30. (Canceled)

31. (Original) The system of claim 29 wherein means for communicating with the computer network wireless access point is configured for operation in accordance with IEEE 802.11 wireless network standards.

32. (Previously presented) The system of claim 29 wherein the displayed data based on the determined position further comprises position information.

33. (Canceled).

34. (Previously presented) The system of claim 29 wherein the non position information comprises information related to a store located proximate the determined position of the mobile device.

35. (Currently amended) The system of claim 29 wherein the means for communicating with ~~[[a]]~~ the computer network wireless access point communicates a request to the wireless access point for non position information based on the determined position of the mobile device.

36. (Currently amended) The system of claim 29, further comprising means for receiving data from a plurality of global positioning system (GPS) satellites, the means for determining the position of the mobile device using the data received from the GPS satellites to determine the position of the mobile ~~communication~~ device.

37. (Currently amended) The system of claim 36 wherein the means for determining the position of the ~~portable position determination system~~ mobile device generates a weighted combination of the data received from the GPS satellites and the data received from the access point to determine the position of the mobile device.

38. (Original) The system of claim 29, further comprising means for receiving communication signals from a wireless telephone system base transceiver station, the

means for determining the position of the mobile device using the communication signals from the base transceiver station to determine the position of the mobile device.

39. (Currently amended) The system of claim 38 wherein the means for determining the position of the ~~portable position determination system~~ mobile device generates a weighted combination of the communication signals from the base transceiver station and the data received from the access point to determine the position of the mobile device.

40. (Currently amended) A method for position determination in a mobile device comprising:

receiving data from a computer network wireless access point;

determining ~~[[the]]~~ a position of the mobile ~~communication~~ device based on the data received from the access point;

receiving data based on the determined position; and

displaying non position information ~~data~~ based on the determined position.

41. (Currently amended) The method of claim 40 wherein ~~communicating with~~ receiving data from the computer network wireless access point is in accordance with IEEE 802.11 wireless network standards.

42. (Previously presented) The method of claim 40 further comprising displaying position information.

43. (Canceled)

44. (Previously presented) The method of claim 40 wherein the non position information comprises information related to a store located proximate the determined position of the mobile device.

45. (Currently amended) The method of claim 40, further comprising transmitting, from the mobile ~~communication~~ device to the computer network wireless access point, a request for the non position information based on the determined position of the mobile device.

46. (Original) The method of claim 40, further comprising receiving data from a plurality of global positioning system (GPS) satellites wherein determining the position

of the mobile device uses the data received from the GPS satellites to determine the position of the mobile device.

47. (Original) The method of claim 46, further comprising generating a weighted combination of the data received from the GPS satellites and the data received from the access point to determine the position of the mobile device.

48. (Currently amended) The method of claim 40, further comprising receiving communication signals from a wireless telephone system base transceiver station wherein determining the position of the mobile ~~communication~~ device uses the communication signals from the base transceiver station to determine the position of the mobile ~~communication~~ device.

49. (Original) The method of claim 48, further comprising generating a weighted combination of the communication signals from the base transceiver station and the data received from the access point to determine the position of the mobile device.